INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. VII, 1229–1232 (1973)

# Author Index, Volume VII

Adnan, S. S. Z. and Basu, S.: Cotton-Mouton constant of benzene calculated by free electron wave functions, 405
Afzal, M. and Frost, A. A.: A floating spherical Gaussian orbital model of molecular structure. XII. Analysis of energy terms affecting the geometry of the water molecule, 51
Allavena, M.: see Blaisten-Barojas, E.
Andrade, P. da R. and Holz, A.: Molecular orbital admixture coefficient by Raman scattering, 407

Basch, H.: see Mortola, A. P.
Basu, Z.: see Adnan, S. S. Z.
Benard, M. and Julg, A.: Détermination des orbitales moléculaires par minimisation directe de l'energie de l'etat fondamental et des etats excités des molécules, 945
Bendazzoli, G. L., Dixon, M. and Palmieri, P.: One-electron properties from approximate LCAO-SCF wave functions, 223
Beretta E. and Vetrano, F.: A double perturbation theory for molecular complexes, 333
Berggren, K.-F.: see Lindner, P.
Bhattacharya, A. K. and Mukherjee, P. K.: Coupled Hartree-Fock calculation of the uniform field quadropole polarizabilities and shielding factors of *S*-state ions, 491
Biczó, G.: see Mayer, I.
Biktimirov, A. Ya.: see Lyast, I. Ts.
Blaisten-Barojas, E. and Allavena, M.: An application of Green's functions to the study of the vibration-translation coupling of trapped oscillators in a linear chain, 195
Blokker, E.: A theory for the construction of the irreducible representations of finite groups. II, 1091
Bouscasse, L., Phan-Tan-Luu, R., Vincent, E. J. and Metzger, J.: Technique d'optimisation de l'energie SCF en fonction des exposants de Slater, 357
Boyle, L. L. and Ozgo, Z.: Icosahedral irreducible tensors and their applications, 383
Bunge, A.: see Bunge, C. F.
Bunge, C. F. and Bunge, A.: Symmetry eigenfunctions suitable for many-electron theories and calculations. I. Mainly atoms, 927
Burrows, B. L.: Bounds for Hartree-Fock perturbation theory, 345

Calais, J.-L. and Sperber, G.: A study of the AMO method as applied to the lithium metal. I. Review, results and discussion, 501
Calais, J.-L.: see Sperber, G.
Carbonell R. G. and Kostin, M. D.: Tunneling phenomena in three-dimensional double-well potentials, 319
Chałasiński, G. and Jeziorski, B.: Exact calculation of exchange polarization energy for $H_2^+$ ion, 63
Chałasiński, G. and Jeziorski, B.: Multiple structure of exchange polarization energy of $H_2^+$ ion, 745
Cherepanov, V. L.: see Men, B. A.
Cook, E. C., Jr. and Ebbing, D.: Core model calculation of the electric field gradient: Projection operator formalism with application to $NH_3$, 707
Cosgrove, J. G.: see Matsen, F. A.
Csizmadia, I. G.: see Tel, L. M.

Davidson, E. R.: see Langhoff, S. R.
Deal, W. J. and Young, R. H.: Long-range dispersion interactions involving excited atoms; the H(1*s*)-H(2*s*) interaction, 877
Dixon, M.: see Bendazzoli, G. L.
Doreste-Suarez, L.: see Smeyers, Y. G.

Ebbing, D.: see Cook, E. C., Jr.
Edmiston, C. and Lindner, P.: On the dimerization of $BH_3$ and the associated delocalization (resonance) energy, 309
Ehrenson, S. and Harp, G. D.: Importance sampling in local energy calculations on $H_2$, 1099
Elbert, S. T.: see Langhoff, S. R.
Elder, M.: Use of molecular symmetry in SCF calculations, 75

Ellzey, M. L., Jr.: Sequence-adapted molecular tensors: Algebraic methods and application to crystal field theory, 253

Fink, W. H.: Projection between basis sets: A means of defining the electronic structure of functional subunits, 1045
Ford, A. L.: see Matsen, F. A.
Forslind, E.: see Wahlgren, U.
Frost, A. A.: see Afzal, M.

Gianinetti, E.: Optimization of molecular orbitals: Easy parametrizations of little rotations suitable for functional iteration, 869
Golebiewski, A. and Mrozek, J.: Modified Gaussian functions and their use in quantum chemistry. I. Integrals, 623
Golebiewski, A. and Mrozek, J.: Modified Cartesian Gaussian functions and their use in quantum chemistry, 1021
Gouyet, J. F.: Le champ autocoherent non Hermitien, 139
Graovac, A., Monkhorst, H. J. and Zivkovic, T.: Slater orbital molecular integrals with numerical Fourier transform methods. I. (Coplanar) Multicenter exchange integrals over 1*s* orbitals, 233
Gupta, S. K.: see Llaguno, C. T.

Ha, T.-K. and O'Konski, C. T.: Properties of pyridine and pyrazine from *ab initio* molecular orbital wave functions, 609
Hall, G. G.: Gauge invariant Gaussian orbitals and the *ab initio* Calculation of diamagnetic susceptibility for molecules, 15
Harp, G. D.: see Ehrenson, S.
Hillier, I. H.: see Saunders, V. R.
Holz, A.: see Andrade, P. da R.

Inokuti, M.: see Pyykkö, P.

Jansen, L.: see Lombardi, E.
Jette, A. N.: A convenient method for evaluating two center integrals, 131
Jeziorski, B.: see Chałasiński, G.
Johansson, B.: see Rosengren, A.
Johnson, J. W. and Poshusta, R. D.: Gaussian orbitals optimized for lower bounds of hydrogenic atoms, 951
Julg, A.: see Benard, M.

Kaplan, I. G. and Rodimova, O. B.: Matrix elements of general configuration of non-orthogonalized orbitals in state with definite spin, 1203
Kapoor, K. L.: The site of protonation in amino-substituted pteridines, 27
Kapur, K., Sane, K. V. and Srivastava, P. K.: Some remarks on Linderberg's relation, 1029
Kari, R. and Sutcliffe, B. T.: Direct minimization of the energy functional in LCAO-MO calculations, 459
Karlsson, G. and Zerner, M. C.: Determination of one-centre core integrals from the average energies of atomic configurations, 35
Klein, D. J.: see Seitz, W. A.
Kostin, M. D.: see Carbonell, R. G.
Krizan, J. E. and Lloyd, B. F.: Interactions between molecules in the neighborhood of a long linear molecule, 991
Kumari, U. and Ray, N. K.: Spin density distributions in some fluorinated radical cations, 215

Labzowsky, L. N. and Lozovik, Yu. E.: Conjugated molecules in strong magnetic fields, 985
Ladik, J.: see Mayer, I.
Ladik, J.: see Suhai, S.
Laidlaw, W. G.: Stability conditions for the solutions of the Hartree-Fock equations. VII. Stability of some closed-shell non-alternant systems, 87
Langhoff, S. R. and Davidson, E. R.: An *ab initio* calculation of the spin dipole-dipole parameters for methylene, 759
Langhoff, S. R., Elbert, S. T. and Davidson, E. R.: A configuration interaction study of the spin dipole-dipole parameters for formaldehyde and methylene, 999
Larson, E. G.: Representable reference density matrices induced by information theory, 853
Larson, E. G.: see Morrison, R. C.
Lindner, P. and Berggren, K.-F.: A nearly free electron model for the dihydrides of the alkaline-earth metals, 667
Lindner, P.: see Edmiston, C.
Llaguno, C. T., Gupta, S. K. and Rothstein, S. M.: Molecular orbital studies on small molecules using $H_2^+$-type elliptical basis orbitals. Application to $H_2^+$, $H_2$, $He_2^{++}$ and $H_3^+$, 819

Lloyd, B. F.: see Krizan, J. E.
Lombardi, E., Ritter, R. and Jansen, L.: Effect of many-body interactions on the stability of rare-gas halides, 155
Lozovik, Y. E.: see Labzowsky, L. N.
Lyast, I. Ts. and Biktimirov, A. Ya.: Application of local energy method to the estimation of the correlation in geminals, 641

Majorino, G. F. and Rubino, C.: On the accuracy of the many-points local procedures, 675
Marinelli, F.: Theorie des orbitals moleculaires: Recherche d'une base STO homogene pour les atomes alcalins et leur serie isoelectronique, 109
Matsen, F. A., Cosgrove, J. G. and Picone, J. M.: Spin-free quantum chemistry. XIV. The infinite interaction range model for ferromagnetism, 1077
Matsen, F. A. and Ford, A. L.: Spin-free quantum chemistry. XII. Coarse structure magnetic theory, 1051
Matsen, F. A., Sugar, J. E. and Picone, J. M.: Spin-free quantum chemistry. XIII. Spin waves, 1063
Matsuoka, O.: Molecular integrals of relativistic effects with Gaussian-type orbitals, 365
Mayer, I., Ladik, J. and Biczó, G.: Spin projected extended Hartree-Fock equations, 583
Meath, W. J.: see Riera, A.
Mehler, E. L.: Product of group-function expansions for correlated wave functions, 187
Men, A. N.: see Men, B. A.
Men, B. A., Cherepanov, V. L. and Men, A. N.: Group theoretical methods for determining permitted terms of the electronic states of complexes in crystals. III. The use of plethysm for classification of the permitted terms of impurity complexes in crystal, 739
Mestechkin, M. M.: Some developments in the spin-extended Hartree-Fock method, 425
Metzger, J.: see Bouscasse, L.
Moccia, R.: Time-dependent variational principle, 779
Monkhorst, H. J.: see Graovac, A.
Morrison, R. C., Smith, D. W. and Larson, E. G.: Partitioning schemes for the 2-matrix and the pair density, 837
Mortola, A. P., Basch, H. and Moskowitz, J. W.: An *ab initio* study of the permanganate ion, 725
Moseley, W. D., Jr.: Integrals of quantum chemical interest in bases of Laguerre functions. I. Functions of order $2l + 2$, 285
Moskowitz, J. W.: see Mortola, A. P.
Mrozek, J.: see Gołebiewski, A.
Mukherjee, P. K.: see Bhattacharya, A. K.

Náray-Szabó, G.: Decoupled Hartree-Fock methods. II. Calculation of the potential curves of diatomic molecules, 569
Nedachi, Y.: see Terasaka, T.
Noor Mohammad, S.: see Sannigrahi, A. B.

O'Konski, C. T.: see Ha, T.-K.
Ozgo, Z.: see Boyle, L. L.

Pajanne, E.: see Pyykkö, P.
Palmieri, P.: see Bendazzoli, G. L.
Palting, P.: Direct determination of pseudo-natural orbitals, 717
Palting, P. and Sanders, W. A.: Simple test of the utility of modified Hartree-Fock orbitals: The He atom, 301
Phan-Tan-Luu, R.: see Bouscasse, L.
Picone, J. M.: see Matsen, F. A.
Poshusta, R. D.: see Johnson, J. W.
Pyykkö, P., Pajanne, E. and Inokuti, M.: Hydrogen-like relativistic corrections for electric and magnetic hyperfine integrals, 785

Raimondi, M.: see Tantardini, G. F.
Ray, N. K.: see Kumari, U.
Riera, A. and Meath, W. J.: Nondiagonal second order intermolecular forces for interactions involving molecules, 959
Ritter, R.: see Lombardi, E.
Rodimova, O. B.: see Kaplan, I. G.
Røeggen, I.: Applications of Padé approximants of type II in partitioning technique, 1193
Roos, B.: see Wahlgren, U.
Rosengren, A. and Johansson, B.: DODS and the electron gas, 1033
Rothstein, S. M.: see Llaguno, C. T.
Rubino, C.: see Majorino, G. F.

Salmon, L. S.: Convergence of the completely separated bipolar expansion of $r_{12}^{-2}$, 411

Sanders, W. A.: see Palting, P.
Sane, K. V.: see Kapur, K.
Sannigrahi, A. B. and Noor Mohammad, S.: Selected valence electron split-shell molecular orbital calculations on the diatomic interhalogen molecules, 1183
Saunders, V. R. and Hillier, I. H.: A "level-shifting" method for converging closed shell Hartree-Fock wave functions, 699
Schellman, J. A.: see Stigter, D.
Schmidtke, H.-H.: Über die Topologie und Orbitalstruktur Symmetrischer Moleküle, 127
Scofield, D. F.: A note on Löwdin orthogonalization and the square root of a positive self-adjoint matrix, 561
Seitz, W. A. and Klein, D. J.: Computations on Heisenberg spin models, 647
Shibuya, T.-I. and Sinanoğlu, O.: Spin-free wave functions in many-electron perturbation theory. I. Closed-shell systems, 1145
Shibuya, T.-I. and Sinanoğlu, O.: Spin-free wave functions in many-electron perturbation theory. II. Systems with one nonclosed shell, 1159
Simonetta, M.: see Tantardini, G. F.
Sinanoğlu, O.: see Shibuya, T.-I.
Smeyers, Y. G. and Doreste-Suarez, L.: Half-projected and projected Hartree-Fock calculation for singlet ground states. I. Four-electron atomic systems, 687
Smith, D. W.: see Morrison, R. C.
Soliverez, C. E.: The use of irreducible operators for determining the complete set of linearly independent crystal field parameters, 1139
Sperber, G.: A study of the AMO method as applied to the lithium metal. III. A method for calculating the total electronic energy of crystals in the LCAO approximation, 537
Sperber, G. and Calais, J.-L.: A study of the AMO method as applied to the lithium metal. II. The first-order density matrix and the shape of the Fermi surface, 521
Sperber, G.: see Calais, J.-L.
Srivastava, P. K.: see Kapur, K.
Stigter, D. and Schellman, J. A.: Electrostatic representations of molecular groups, 1
Sugar, J. E.: see Matsen, F. A.
Suhai, S. and Ladik, J.: CNDO/2 and MINDO/2 energy band structures of some homopolynucleotides, 547
Sutcliffe, B. T.: see Kari, R.

Tantardini, G. F., Raimondi, M. and Simonetta, M.: *Ab initio* bond calculations. I. Methylene, 893
Tatewaki, H.: Effect of the exchange integral $K_{2s2p}$ on the $2p$-orbitals of the $^1P$ and $^3P$ states of the beryllium isoelectronic sequence arising from the configuration $(1s)^2(2s)(2p)$, 971
Tel, L. M., Wolfe, S. and Csizmadia, I. G.: A comparative quantum chemical study of ethylcarbonium ion and hydroxymethylcarbonium ion, 475
Terasaka, T. and Nedachi, Y.: Equation for the screened potential, 173
Truhlar, D. G.: Application of the configuration-interaction method and the random phase approximation to the *ab initio* calculation of electronic energies of $H_2O$, 807
Truhlar, D. G.: *Ab initio* Hartree-Fock calculations of electronic wave functions for $c^3\Pi_u$ state of $H_2$, 1175

Vetrano, F.: see Beretta, E.
Vincent, E. J.: see Bouscasse, L.

Wahlgren, U., Roos, B. and Forslind, E.: A MO-SCF study of hydroxyl binding and hydroxyl diffusion in pure and fluorine-containing hydroxyapatite, 905
Wolfe, S.: see Tel, L. M.
Wybourne, B. G.: Lie algebras in quantum chemistry: Symmetrized orbitals, 1117

Young, R. H.: see Deal, W. J.

Zerner, M. C.: see Karlsson, G.
Zivokovic, T.: see Graovac, A.

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. VII, 1233–1240 (1973)

# Subject Index, Volume VII

*Ab initio* calculations, excited states of the water molecule, 807
of diamagnetic susceptibility for molecules, 15
of electron energies of $H_2O$, 807
of spin dipole-dipole parameter for methylene, 759
valence bond of methylene, 893
*Ab initio* Hartree-Fock calculations, 1175
of electronic wave function for $H_2$, 1175
*Ab initio* LCAO molecular, 807
*Ab initio* molecular orbital wave functions, for pyridine and pyrazine, 609
*Ab initio* study, of permanganate ion, 725
Algebraic methods and application to crystal field theory, 253
Alkali metals, 501
Alkaline-earth metals, free electron model model for dihydrides of, 667
All-valence electron band structures, periodic DNA models polyC, polyT, 547
Alternant molecular orbital method, 501, 521
AMO method, applied to study of lithium metal, 501, 521, 537
Analytic functions, using Slater-type orbitals as basis functions, 1175
Anisotropy parameters, 383
Antibonding orbitals, 807
Asymmetry parameter, quadrupole coupling tensor, 609
Atom configurations, one center core integrals from average atomic energies, 35
Attraction integrals, electron repulsion integrals, 623

Base STO homogène, pour les atomes alcalins, 109
Basis sets, 1045
of Slater-type orbitals, 1175
projection between, to define electronic structure of functional subunits, 1045
Benzene, Cotton-Mouton constant, 405
Beryllium isoelectronic sequence, effect of exchange integral $K_{2s2p}$ on, 971
$BH_3$ dimerization, 309
Bipolar expansion of $r_{12}^{-1}$, convergence of, 411
Bloch functions, 501, 521
Body-centered cubic lattice, 521
Bond angle, 807
Bounds, Hartree-Fock perturbation theory, 345
Brillouin theorem, spin projected, 583
Brillouin zone, 501, 521
"Broken" symmetry, 87

$C_n(s, M, n)$, 425
Calculations for singlet ground states, 687
Cartesian Gaussian functions, 1021
Champ autocohérent, 139
Charge density contours, 609
Charge-density wave, 87
Closed and nonclosed systems, spin-free wave functions in perturbation theory, 1145, 1159
Closed-shell nonalternant systems, stability, 87
Cluster expansion, 187
CNDO/2 method, 807
CNDO/2-MINDO/2 energy band structures homopolynucleotides, 547
(CO) method, 547
Cohesive energy, 501
Conduction band, 501
Configuration interaction, 927, 999
Configuration-interaction method, 807
random phase approximation *ab initio* calculation electronic excitation energies $H_2O$, 807
Configuration interactions study, spin dipole-dipole parameters for formaldehyde and methylene, 999
Conjugated molecules, in strong magnetic fields, 985
Conjugative interaction, 475
Contact interaction, spin-other-orbit interaction, spin-spin dipole interaction orbit-orbit interaction, 365
Convergence, bipolar expansion $r_{12}^{-1*+}$, 411
of multipole expansion, 1

Converging closed shell Hartree-Fock wave functions, method for, 699
Core integrals, one center, from average energies of atomic configuration, 35
Core model calculation, electric field gradient of, 707
Core relaxation, 807
Correlated wave functions, 187
  product of group function expansions for, 187
Correlation energy, 501
Correlation geminals, 641
Correlation wave function, 641
Cotton-Mouton constant, for benzene calculated by free electron wave functions, 405
Coupled Hartree-Fock calculation, uniform field quadrupole polarizabilities, 491
Coupling coefficients, 253
Crystal, complexes in, determination of permitted terms in, 739
Crystal field parameters, 1139
  determining by irreducible operators, 1139
Crystal field theory, algebraic methods and application, 253

Decoupled Hartree-Fock approximation, 569
Definite spin wave function, 1203
Delocalization, 537
Density matrices, 853
  induced by information theory, 853
Density matrix, first-order, of lithium metal, 521
Descent in symmetry, 253
Deviation from coplanarity, 475
Diamagnetic susceptibilities, electric field gradient tensors, electronic density contours, 609
Diamagnetic susceptibility, 15
Diatomic molecules interhalogen, 1183
  potential curves by decoupled Hartree-Fock methods, 569
Different orbitals for different spins, 501, 537, 1033
Dihydrides alkaline-earth metals, 667
Dimerization, and delocalization energy, of $BH_2$, 309
Dipole layer, 537
Dipole moment, 1, 609
Direct minimization, 459
Dispersion energies, 959
Dispersion interactions, 877
Dissociation, 807
DODS Slater determinant, 583
DODS, and the electron gas, 1033
Double zeta basis set, 807

Earth metals, alkaline, dihydrides, free electron model for, 667
EHF equations, 583
Eigenfunctions symmetry, suitable for many-electron theories and calculations, 927
Eigenvalue problem, 425
Electric field gradient, core model calculation of, 707
  $NH_2$, 707
Electric hyperfine integrals, hydrogen-like corrections for, 785
Electric quadrupole interactions, 785
Electron correlation, 501
Electron energy of crystals, lithium metal, by LCAO approximations, 537
Electron gas, 1033
  and DODS, 1033
Electron impact dissociation, 1175
Electron impact excitation, 1175
Electron impact spectroscopy, 807
Electronic energies, of $H_2O$, by *ab initio* calculation, 807
Electronic structure,
  of functional subunits, projections between basis sets, 1045
Electron systems: $H_2$, $He_2^{++}$, and $H_3^+$, 819
Electrostatic energy, 537
Electrostatic interactions molecular groups quantum, 1
Electrostatic potential, 537
Electrostatic representations, of molecular groups, 1
Elements, 253
Energy, exchange polarization, 745
  LCAO-MO-MC-SCF, 459
  per atom, 537
Energy band structures, LCNDO/2 and MINDO/2, of homopolynucleotides, 547
Energy functional minimization, in LCAO-MO calculations, 459
Energy variances, 1099

Equilibrium geometry, force constants, 569
Etats excités, 945
Etat fondamental, 945
Ethylcarbonium ion, hydroxymethyl-carbonium, 475
Ethylene formaldehyde, 475
"Even-tempered" basis, in H atom orbital calculations, 951
Exchange dispersion energy, 745
Exchange energy, 537
Exchange induction energy, 745
Exchange integral $K_{2s2p}$, effect on 2*p*-orbitals on beryllium, 971
Exchange integrals over STO's, 233
Excitation energies, 807
Excitation operator methods, 807
Excited atoms, 877
  long-range dispersion interactions, 877
Excited states, 807
Expanded basis functions, 807
Expanded orbitals, 807
Expectation values of one-electron properties, 1175
  for H atom orbitals, 951
  for a number of operators, 1099
Exposants de Slater, l'énergie SCF, 357
Extended Hartree-Fock equations, 583

Fermi surface, 501, 521
Fermi surface shape, lithium metal, 521
Ferromagnetism, 1079
  interaction range model, from spin-free quantum chemistry, 1079
Feynman integrals, 233
Fine structure, 1175
Finite group, 1091
  algebra, 253
  theory for construction of irreducible representations, 1091
First-order density matrix, 521
First-row diatomic molecules, 569
Fluorinated radical cations, spin density distributions, 215
Fock-Dirac density matrix, 521
Formaldehyde, 999
  configuration interaction study of dipole-dipole parameters of, 999
Four-electron atomic systems, Hartree-Fock calculations for singlet ground states, 687
Fourier transform methods, Slater orbital molecular integrals by, 233
Free electron model, for dihydrides of alkaline-earth metals, 667
Functional subunits, 1045
Functions, Gaussian, 641
Fusion studies, 1175

Gauche structure, 475
Gauge invariant Gaussian orbitals, 15
Gaussian Cartesian functions, modified use in quantum chemistry, 1021
Gaussian functions, 609, 641
  integrals, 623
  modified, use in quantum chemistry, 623
Gaussian lobe *ab initio* SCF molecular wave functions, 609
Gaussian orbital model, floating spherical, of molecular structure, 51
Gaussian orbitals for H atoms, 951
  gauge invariant, 15
  optimized for lower bounds of hydrogenic atoms, 951
Gaussians, 501, 537, 641
Gaussian-type orbitals, molecular integrals of relativistic effects, 365
Geminals, 641
  correlation estimation by local energy method, 641
Generalized Brillouin's theorem, 687
Generating relations, 253
Green's functions, for study of coupling of trapped oscillators, 195
Ground state water molecule, 807
Ground states of $H_2^+$ and $H_2$, 819
Group-functions expansions, product for correlated wave functions, 187

H(1*s*)-H(2*s*), long-range dispersion interactions, 877
$H_2O$ electronic energies by *ab initio* calculations, 807
Half-Projected and projected Hartree-Fock, 687
Halides, many-body interactions on stability, 155
Harmonic multipole expansions, 1
Hartree-Fock, 501
Hartree-Fock calculations, 807
  *ab initio*, of electronic wave function, 1175
  for singlet ground states, 687
  of quadrapole polarizabilities and shield-

ing factors of *S*-state ions, 491
Hartree-Fock equations, spin projected extended, 583
stability conditions for solutions, 87
Hartree-Fock function, 687
Hartree-Fock method, spin-extended developments in, 425
decoupled, 569
Hartree-Fock orbitals, He atom*, 301
modified, test of utility, 301
Hartree-Fock perturbation theory, bounds for, 345
Hartree-Fock self-consistent-field approximation, 807
Hartree-Fock wave functions, closed shell, level-shifting method for converging, 699
Heisenberg spin Hamiltonian, 1051
Heisenberg spin models, computations, 647
Helium atom, modified Hartree-Fock orbitals utility, 301
Helium ion, molecular orbital studies, 819
Hexakis (urea)-titanium III, 253
Hydrogen atom, 877
$c^3\Pi_u$ state of $H_2$, 1175
importance sampling in local energy calculations, 1099
Hydrogen ion, exchange polarization energy, multipole structure of, 745
molecular orbital studies, 819
polarization energy, 63
Hydrogen-like atoms relativistic corrections, electric and magnetic hyperfine integrals, 785
$H_2^+$-type elliptical orbitals, 819
Hydrogenic atoms, 951
Gaussian orbitals optimized for lower bounds, 951
Hydroxyapatite, 905
MO-SCF study of hydroxyl binding and diffusion, 905
Hydroxyl binding, 905
and diffusion, study of hydroxyapatite, 905
Hydroxymethylcarbonium ion, quantum chemical study, 475
Hyperfine interactions, 785
Hyperfine structure, 1175
Icosahedral, anisotropy, 383
irreducible tensors, 383
*f*-orbitals, 383
Icosahedron, 383
Immanant tensors, 383
Improved single-transition-approximation, 807
Importance sampling, method of point selection, 1099
modification of the Monte Carlo technique, 1099
in energy calculations on $H_2$, 1099
Improved-virtual-orbital approximation, 807
Induced pole exchange energy, 745
Induction energies, 959
Information theory, 853
density matrices induced by, 853
Instabilities nonalternants, 87
Integrals, electric and magnetic hyperfine, hydrogen-like corrections for, 785
in bases of Laguerre functions, 285
in modified Gaussian functions, 623
of quantum chemical Laguerre functions, 285
two center, evaluation method, 131
which arise in SCF calculations in the $H_2^+$-type elliptical orbital basis, 819
Interacting molecules, 959
Interaction energy, 959
Interaction range model for ferromagnetism, from spin-free quantum chemistry, 1079
Interhalogen molecules, valence electron split-shell molecular orbital calculations, 1183
Intermolecular forces, 959
Intermolecular forces, and order, for molecule interactions, 959
Irreducible operators, to determine crystal field parameters, 1139
Irreducible representations of finite groups, 1091

Irreducible Tensors, 383

Laguerre functions, integrals of bases, 285
Lattice energies, 537
LCAO, 501
LCAO-MO calculations, minimization of energy functional, 459
LCETO-MO-SCF calculations, on the ground, 819
on triangular $H_3^+$, 819

LCNDO/2 energy band structures, of homopolynucleotides, 547
LCAO-SCF wave functions, one-electron properties from, 223
Least-squares solutions of the Schrödinger equation, 1099
"Level-shifting" converging Hartree-Fock, 699
Lie algebras, 1117
  symmetrized orbitals, 1117
Linderberg's relation, remarks on, 1029
Lithium metal, application of AMO method to study of, 501, 521, 537
  Fermi surface shape and 1st order density matrix, 521
Local energy, 641
Local energy calculations on $H_2$, 1099
Local energy geminal, 641
Local energy method, for estimating correlation of geminals, 641
Local procedures, 675
Local properties for H atom orbitals, 951
Lommel expansion, 233
Long-range forces, 877
Long-range order, 501
Löwdin orthogonalization, note on, 561
Lower bound, and the geometric approximation, 345
Lower bound orbitals, for H atoms, 951

Madelung energy, 537
Magnetic fields, 253, 985
  in conjugated molecules, 985
Magnetic hyperfine integrals, hydrogen-like corrections for, 785
Magnetic theory, 1051
  coarse structure from spin-free quantum chemistry, 1051
Magnetization, 1077
Many-electron theories, 927
  symmetry eigenfunctions suitable for, 927
Many-points local procedures, accuracy of, 675
Matric basis, 253
2-Matrix, 837
2-Matrix density, partioning schemes for, 837
Matrix elements, of spin-dependent operators $F$ and $G$, 1203
  of general configuration of nonorthogonalized orbitals, 1203
Matrix Hartree-Fock method, 1175
Mechanical electron density distributions, tesseral, 1
Method of functional differentiation of Martin and Schwinger, 173
Methylene, 893, 999
  *ab initio* valence bond calculations, 893
  configurations interactions study dipole-dipole parameters of, 999
  spin dipole-dipole parameters by *ab initio* calculations, 759
MINDO/2 energy band structures, of homopolynucleotides, 547
Minimisation de l'énergie, 945
Minimum basis, 807
Minimum basis set, 807
MO method, 501
MO-SCF study, of hydroxyl binding and diffusion of hydroxyapatite, 905
Molecular beam, of metastable $H_2$, 1175
Molecular complexes, double perturbation theory for, 333
Molecular electronic structure calculations, 1045
Molecular energies, 609
Molecular groups, electrostatic representations, 1
Molecular integrals, of relativistic effects with Gaussian-type orbitals, 365
Molecular interactions, 959
Molecular orbital admixture coefficient, by Ramon scattering, 407
Molecular orbital calculations, on interhalogen molecules, 1183
Molecular orbital studies, on small molecules, using $H^+2$-type elliptical base orbitals, 819
Molecular orbital theories, 253, 807
Molecular orbital wave functions, *ab initio*, for pyridine and pyrazine, 609
molecular orbitals, 521, 609
  optimization of, 869
  theory, 109
Molecular properties, pyridine and pyrazine, 609
Molecular structure, floating spherical Gaussian orbital model, 51
Molecular symmetry, use in SCF calculations, 75
Molecular tensors, sequence-adapted, 253
Molecules, 807, 985

interaction between in neighborhood of long linear molecule, 991
Momentum space, Fourier transforms, 537
Mulliken approximation, 569
Multicenter exchange integrals, over 1*s* orbitals, 233
Multiplication table for G(24), 253
Multipole treatment of molecular interactions, 959

Natural orbitals in the spin-extended method, 425
Nearly free electron model, 667
$NH_2$, core model calculation of electric field gradient, 707
"Nondiagonal" second order energies, 959
Nonorthogonalized orbitals, 1203
matrix elements of general configuration of, 1203
Numerical integration, 501
Wigner-Seitz cell, 537

Octahedral, tetrahedral, symmetric groups, 253
One-centre core integrals, 35
One-electron properties, 223, 609
from LCAO-SCF wave functions, 223
Optical rotation aminopyrrolidones, 1
Optimisation des exposants de Slater, 357
Optimization of molecular orbitals, 869
Orbital calculations, basis sets, 807
Orbitales moléculaires, 109, 945
détermination, 945
Orbital product potentials, 537
Orbitals, pseudonatural, determination of, 717
symmetrized, Lie algebras in, 1117
*d* Orbitals, 253
1*s* orbitals, multicenter exchange integrals, 233
Orbitalstruktur, symmetrischer Moleküle, 127
Orbital theory, 807
Orthogonality conditions, 425
Orthogonalized atomic orbitals, 521
Overlap integrals, kinetic energy integrals, nuclear, 623

Padé approximants, Type II, in partitioning techniques, 1193
Pair density, 837
partitioning schemes for, 837
Pairing, 521
Parametrizations of little rotations, 869
Partial charge model, 1
Partially correlated products, 187
Partitioning schemes, for 2-matrix and pair density, 837
Partitioning technique, application of Padé approximants, 1193
Pentalene, 87
Permanganate ion, *ab initio* study of, 725
Permitted terms, determination of in electronic state complexes of crystal, 739
Perturbation expansions, 15
Perturbation theory, 333
double, for molecular orbitals, 333
Hartree-Fock, bounds for, 345
many-electron, spin-wave functions, closed and nonclosed systems, 1145, 1159
Planetary atmospheres, 1175
Plethysm, use of for classification of permitted terms of complexes in crystals, 739
Point multipole representation tesseral harmonics, 1
Polarizability, single-atom, 877
Polarization energy, for $H^+_2$ ion, 63
of $H^+_2$ ion, multipole structure, 745
Polarization phenomena projection operators, 383
Pole exchange, 745
polyA, crystal orbital, 547
Positive self-adjoint matrix, square root of, 561
Potential curves, 569, 1175
of diatomic molecules by Hartree-Fock methods, 569
Potentials, 3-dimensional double-well, tunneling phenomena in, 319
Probability distributions in the beryllium atom, 687
Product of group functions, 187
Projected Hartree-Fock function, 687
Projection, between basis sets, 1045
Projection operators, 927
Proton affinity values of ethylene and formaldehyde, 475
Protonated formaldehyde, 475
Protonation, of ethylene, 475
Protonation site, in amino-substituted

pterdines, 27
Pseudonatural orbitals, determination of, 717
Pseudopotential perturbation, 667
Pterdines, amino-substituted, protonation sites, 27
Pyrazine, properties from *ab initio* molecular orbital wave functions, 609
Pyridine, properties from *ab initio* molecular orbital wave functions, 609

Quadrupole amide group, 1
Quadrupole moment, diamagnetic contributions to the nuclear shielding tensors, 609

Raman scattering, molecular orbital admixture coefficient from, 407
Random-phase approximation, 807
Reciprocal lattice, sublattices, 521
Reduced matrix elements of, 253
Representation of a methyl group, 1045
Resonance integral, 1029
Restricted virtual orbital approximation, 807
Rotation-inversion behavior of charged species, 475
RPA, 173
Rydberg orbitals, 807
Rydberg states, 807

Sanibel coefficients, 425
SCF calculations, 1175
  use of molecular symmetry, 75
Scattering calculations, 1175
Screened potential, equation for, 173
Second-order density matrix spin components, spin-extended Hartree-Fock method, 425
Semiempirical MO calculations, 807
Sequence-adapted molecular tensors, 253
Série isoélectronique, pour les atomes alcalins, 109
Simple LCAO molecular orbital theory, 807
Singlet ground states, Hartree-Fock calculations for, 687
Single-transition approximation, 807
Singly excited states, water molecule, 807
Slater exponents, 807
Slater orbital molecular integrals, with numerical Fourier transform methods, 233
Slater-type orbitals, 1175
Small internuclear distances, 1175
Solutions, 87
Spin density distributions, in fluorinated radical cations, 215
Spin dipole-dipole parameters, 999
Spin-extended Hartree-Fock method, developments in, 425
Spin-free quantum chemistry, 1051, 1063, 1079
Spin-free wave functions, in many-electron perturbation theory, 1145, 1159
Spin models, Heisenberg, computations, 647
Spin projected extended Hartree-Fock equations, 583
Spin projection before variation, 583
Spin-same-orbit interaction, electron spin-nuclear spin interaction, spin-spin, 365
Spin waves, from spin-free quantum chemistry, 1063
Stability, of rare-gas halides, effect of many-body interactions, 155
Stability conditions, for solutions of Hartree-Fock equations, 87
*S*-state ions, quadrapole polarizabilities and shielding factors, 491
States of $H_2$ and $He_2^{++}$, 819
Subgroup sequences, 253
Symmetrischer Moleküle, Topologie und Orbitalstruktur, 127
Symmetrized orbitals, 1117
Symmetry eigenfunctions, 927
Symmetry SCF calculations, 75

Tamm-Dancoff approximation, 807
Tensor operators, 253
Tensors, algebraic methods crystal field theory, 253
  icosahedral irreducible, 383
Time-dependent variational principle, 779
Topologie, symmetrischer Moleküle, 127
Total electronic energy, 501
  LCAO approximation, 537
Transfer of representation, 1045
Transition, 1
Trapped oscillators, Green's function used in study of vibration-translation coupling, 195
Trigonal crystal field, 253
Triplet excitation energies, 807

Triplet state, 1175
Tunneling phenomena, in 3-dimensional double-well potentials, 319
Two center integrals, evaluation method, 131
Two-determinant UHF function, 687
Two-determinant unrestricted, Hartree-Fock function, 687

Ultraviolet spectroscopy, 807
Unrestricted Hartree-Fock function, 687
Upper bound and coupled theory, 345

Valence bond, 893
"Variance", in H atoms, 951
Variational calculations, 819
Variational principle, time-dependent, 779
Variational procedure for determining the HPHF and PHF functions, 687
Variation of interaction, electron mass with velocity, Fermi contact interaction, 365
Vibration-translation coupling, of trapped oscillators in a linear chain, 195
study of trapped oscillators using Green's functions, 195
Virtual orbitals, 807

Walsh's rules, 807
Wannier functions, 521
Water molecule, energy terms effective Geometry, 51
Wave function, free electron, calculate Cotton-Mouton constant of benzene, 405
Wigner-Seitz cell, 501

Young diagrams for $S(4)$, 253

Zero field splitting, 999
ZDO approximation, 569